
Liquid Line Cylinder Grids (Magnetic Traps)

- Suitable for extracting fine ferrous contamination from liquid material production line;
- Connected ends could be flanged, threaded or others according to application;
- Easy-clean type could be provided on request.

Regular Type



Cylinder version(regular type)				
ITEM No.	A (mm)	B (mm)	Weight (kg)	
OEYF5R0001	125	200	8.08	




Beijing OeMag International Co., Ltd

Tel: +86-10-67609550; Fax: +86-10-67609565; E-mail: <u>oemag@oemag.com</u>

Easy-Clean Type





Cylinder version(easy-clean type)				
ITEM No.	A (mm)	B (mm)	Weight (kg)	
OEYF5R0001A	140	204	8.02	

OeMag Beijing OeMag International Co., Ltd

Tel: +86-10-67609550; Fax: +86-10-67609565; E-mail: <u>oemag@oemag.com</u>



The housing of the traps could be supplied according to your existed pipeline.



The shape of the trap as well as the number of magnetic bars could be designed and customized.

Magnetic Grids by OeMag:

- Strong magnet circuit design, Max. surface Gauss value could achieve 12'000Gs;
- No "zero" magnetic area exist
- Waterproof and well polished magnetic bars;
- Easy-clean type and food grade can be provided on request;
- With Circular version, Rectangular version, and Cylinder version available to fit any size or shape of hopper;

Welcome for enquires and consults!

OeMag Beijing OeMag International Co., Ltd

Tel: +86-10-67609550; Fax: +86-10-67609565; E-mail: <u>oemag@oemag.com</u>